

# The `latex-lab-testphase` code\*

Ulrike Fischer L<sup>A</sup>T<sub>E</sub>X Project

November 1, 2023

## Abstract

## 1 Introduction

This code implements small files which can be loaded with the `testphase` key of `\DocumentMetadata` and which bundle various `testphase` modules. This will be extended to allow user to load well defined parts of the tagged PDF project.

Currently the values `phase-I`, `phase-II`, `phase-III` and `new-or` (bundles `new-or-1` and `new-or-2`) are provided. `tagpdf` is an undocumented alias for `phase-II` which is kept for compability. The value `math` combines various math related files.

## 2 The Implementation

`new-or-1` contains the code for header and footer (tagging and suppressing links) and is always loaded

`new-or` combines all `new-or` parts (currently 1+2)

```
1 <*new-or>
2 \ProvidesFile{new-or-latex-lab-testphase.ltx}
3           [2023-06-15 v0.1b latex-lab wrapper new-or]
4 </new-or>
5 <*phase-I>
6 \ProvidesFile{phase-I-latex-lab-testphase.ltx}
7           [2023-02-04 v0.1b latex-lab wrapper phase-I]
8 </phase-I>
9 <*phase-II>
10 \ProvidesFile{phase-II-latex-lab-testphase.ltx}
11           [2023-06-15 v0.1b latex-lab wrapper phase-II]
12 </phase-II>
13 <*phase-III>
14 \ProvidesFile{phase-III-latex-lab-testphase.ltx}
15           [2023-07-20 v0.1b latex-lab wrapper phase-III]
16 \input{phase-II-latex-lab-testphase.ltx}
17 \IfFormatAtLeastTF{2023-06-01}
18 {
```

---

\*

```

19 \RequirePackage{latex-lab-testphase-block}
20 \RequirePackage{latex-lab-testphase-sec}
21 \RequirePackage{latex-lab-testphase-toc}
22 \RequirePackage{latex-lab-testphase-minipage}
23 \RequirePackage{latex-lab-testphase-graphic}
24 \RequirePackage{latex-lab-testphase-float}
25 \RequirePackage{latex-lab-testphase-bib}
26 \RequirePackage{latex-lab-testphase-text}
27 }
28 {\PackageWarning{latex-lab}{Testphase III needs newer format}{}}
29 </phase-III>

    this is only provided for compatibility
30 <*tagpdf>
31 \ProvidesFile{tagpdf-latex-lab-testphase.ltx}
32     [2022-11-04 v0.1a latex-lab wrapper tagpdf (deprecated)]
33 </tagpdf>
34 <*tagpdf | phase-I | phase-II | new-or>
35 \RequirePackage{latex-lab-testphase-new-or-1}
36 </tagpdf | phase-I | phase-II | new-or>

Support for the new output routine code are loaded in phase-II and new-or:
37 <*tagpdf | phase-II | new-or>
38 \RequirePackage{latex-lab-testphase-new-or-2}
39 </tagpdf | phase-II | new-or>
40 <*tagpdf | phase-I | phase-II>
41 \RequirePackage{tagpdf}
42 \AddToDocumentProperties [document]{testphase/tagpdf}{loaded}
43 </tagpdf | phase-I | phase-II>
44 <tagpdf | phase-II>\tagpdfsetup{activate,paratagging,interwordspace}
45 <tagpdf | phase-II>\AddToDocumentProperties [document]{tagging/para}{active}
46 <phase-I>\tagpdfsetup{activate,interwordspace}
47 <*tagpdf | phase-I | phase-II>
48 \AddToDocumentProperties [document]{tagging}{active}
49 \AddToDocumentProperties [document]{tagging/interwordspace}{active}
50 </tagpdf | phase-I | phase-II>

testphase wrapper files for math:
51 <*math>
52 \ProvidesFile{math-latex-lab-testphase.ltx}
53     [2023-07-20 v0.8a latex-lab wrapper math]
54 \RequirePackage{latex-lab-testphase-math}
55 </math>
56 <*math-package>
57 \ProvidesPackage{latex-lab-testphase-math}
58     [2023-07-20 v0.8a code related to the math tagging]
59 \input{latex-lab-math.ltx}
60 \input{latex-lab-amsmath.ltx}
61 \input{latex-lab-mathtools.ltx}
62 \input{latex-lab-mathpkg.ltx}
63 </math-package>

```

# Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

<b>A</b>		<b>P</b>	
<code>\AddToDocumentProperties</code> ..	42, 45, 48, 49	<code>\PackageWarning</code> .....	28
		<code>\ProvidesFile</code> .....	2, 6, 10, 14, 31, 52
		<code>\ProvidesPackage</code> .....	57
<b>D</b>		<b>R</b>	
<code>\DocumentMetadata</code> .....	<i>1</i>	<code>\RequirePackage</code> .....	19,
			20, 21, 22, 23, 24, 25, 26, 35, 38, 41, 54
<b>I</b>		<b>T</b>	
<code>\IfFormatAtLeastTF</code> .....	17	<code>\tagpdfsetup</code> .....	44, 46
<code>\input</code> .....	16, 59, 60, 61, 62		